



Metal hose with cotton thread

Metal hose with cotton thread

The hose has excellent waterproof, insulating and tensile properties.

The surface is thickened with PVC, the appearance is smooth, and fire retardant is added to the PVC plastic.

The structure is reverse buckle type to increase tensile strength, not easy to break or deform. With super softness and excellent bending performance, the internal smooth structure is easy to pass wires and cables.

product description

Product material: (inner layer) adopts galvanized steel strip and special insulation treatment; (outer layer) adopts PVC material (anti-ultraviolet, anti-aging).


Product color: black

Product use: Protect wires and cables and achieve insulation and waterproofing.

Application areas: railways, locomotives, transportation system engineering, air conditioning, various machinery, power plants,

Wiring protection for exposed parts of chemical industry, power transmission and distribution system, communication system, ship, building, factory and outdoor.


How to use: Put the wire and cable into the pipe first, and then fit the corresponding model of the LNE-DPJ connector.



Specification

日成MCL1平包塑含棉线型金属软管

RoHS



product name	Product number	Metric	British	inside diameter	Outside diameter	Bending radius	Matching metal head	Packaging roll/M
Black metal hose with cotton thread	MCL1-03B	Ø 10	1/4"	Ø 10	Ø15.0 ± 0.3	50	NBG-03	100
Black metal hose with cotton thread	MCL1-04B	Ø 13	3/8"	Ø 13	Ø18 ± 0.35	65	NBG-04	50
Black metal hose with cotton thread	MCL1-05B	Ø 16	1/2"	Ø15.5	Ø22 ± 0.35	85	NBG-05	50
Black metal hose with cotton thread	MCL1-06B	Ø 20	3/4"	Ø 20	Ø26.5 ± 0.4	100	NBG-06	50
Black metal hose with	MCL1-08B	Ø25	1"	Ø25	Ø32.5 ± 0.45	120	NBG-08	50

cotton thread								
Black metal hose with cotton thread	MCL1-10B	∅ 32	1 1/4"	∅ 32	∅40.5 ± 0.5	150	NBG-10	20
Black metal hose with cotton thread	MCL1-12B	∅38	1 1/2"	∅38	∅47.5 ± 0.6	180	NBG-12	20
Black metal hose with cotton thread	MCL1-16B	∅ 51	2"	∅ 51	∅62 ± 1	220	NBG-16	20
Black metal hose with cotton thread	MCL1-20B	∅ 64	2 1/2"	∅62	∅75 ± 1.5	310	NBG-20	10
Black metal hose with cotton thread	MCL1-24B	∅ 75	3"	∅ 73	∅90 ± 2	350	NBG-24	10
Black metal hose with cotton thread	MCL1-32B	∅ 100	4"	∅ 100	∅116 ± 3	410	NBG-32	5
Gray metal hose with cotton thread	MCL1-03G	∅ 10	1/4"	∅ 10	∅15.0 ± 0.3	50	NBG-03	100
Gray metal hose with cotton thread	MCL1-04G	∅13	3/8"	∅ 10	∅18 ± 0.35	65	NBG-04	50
Gray metal hose with cotton thread	MCL1-05G	∅ 16	1/2"	∅15.5	∅22 ± 0.35	85	NBG-05	50
Gray metal hose with cotton thread	MCL1-06G	∅ 20	3/4"	∅ 20	∅26.5 ± 0.4	100	NBG-06	50
Gray metal hose with cotton thread	MCL1-08G	∅25	1"	∅25	∅32.5 ± 0.45	120	NBG-08	50
Gray metal hose with cotton thread	MCL1-10G	∅ 32	1 1/4"	∅ 32	∅40.5 ± 0.5	150	NBG-10	20
Gray metal hose with cotton thread	MCL1-12G	∅38	1 1/2"	∅38	∅47.5 ± 0.6	180	NBG-12	20
Gray metal hose with cotton thread	MCL1-16G	∅ 51	2"	∅ 51	∅62 ± 1	220	NBG-16	20
Gray metal hose with cotton thread	MCL1-20G	∅ 64	2 1/2"	∅62	∅75 ± 1.5	310	NBG-20	10
Gray metal hose with cotton thread	MCL1-24G	∅ 75	3"	∅73	∅90 ± 2	350	NBG-24	10
Gray metal hose with cotton thread	MCL1-32G	∅ 100	4"	∅ 100	∅116 ± 3	410	NBG-32	5

Product Show



