



## Automotive wiring harness waterproof plug

### Automotive wiring harness waterproof plug

Waterproof plug

1. Material: Silicone rubber
2. Environmental protection: in line with ROHS certification
3. Excellent waterproof performance: self-permeable oil technology with waterproof plug
3. Features: waterproof, oil resistance, abrasion resistance, high and low temperature resistance, aging resistance, ozone resistance
4. Purpose: The hole position of the wire harness connector is threaded and fixed, which has the function of dustproof, waterproof and oilproof
5. Application scenarios: automotive industry, used in automotive wiring harness connectors
6. Reference standard for waterproof plug selection:

① Inner diameter

When matching, the outer diameter of the wire sheath  $+0.5\text{mm} \geq$  the inner diameter of the waterproof plug  $\geq$  the outer diameter of the wire sheath  $+ 0.2\text{mm}$ .

② Outer diameter

When matching, the inner diameter of the sheath  $+ 1.0\text{mm} >$  the outer diameter of the waterproof plug  $\geq$  the inner diameter of the sheath  $+ 0.2\text{mm}$ .


③ Height

The height of the waterproof plug shall not be higher than the height of the inner hole of the sheath.

Automotive wiring harness waterproof plug

## Specification

# RCCN Waterproof plug



Product number	Inside diameter (D) mm	outside diameter (d) mm	Height (H) mm	Applicable wire diameter (mm)	Colour	Smallest packaging
963530-1	1.1	3.8	7.6	1.4-1.6	Gray	1000
967067-1	0.8	4.1	8.6	1.3-1.5	Grass green	1000
967067-2	0.8	4.1	8.6	1.3-1.5	Yellow	1000
828904-1	1.0	5.6	7.6	1.3-1.5	Light blue	1000
828905-1	1.8	5.6	7.6	2.1-2.3	White	1000
DJ90115	1.8	4.7	6.2	2.1-2.4	Navy blue	1000
J00150027	1.8	5.5	6.2	2.1-2.3	Red	1000
J00150018	1.1	5.5	6.2	1.4-1.6	Green	1000
J00150011	1.0	5.0	7.5	1.3-1.5	Light blue	1000
15324994	2.4	10.5	7.5	2.7-3	Gray	1000
33541A	1.2	5.7	7.5	1.3-1.5	Light blue	1000

## Product Show

